




BUCKLED RUBBER TILE

锁扣地垫



锁扣设计，易于拆装铺设；边缘密合不易平移，整体性更好；强度高、弹性好，稳定、不易变形，不易起翘；面层根据市场需求定制、耐磨系数高；伤害吸收效果佳，提供舒适的运动防护地面。

Buckled design, easy to install and disassemble; the edge is tightly sealed and not easy to move, with better integrity effect. High strength, good elasticity, stable and not easy for deformation, not easy to warping; The surface layer is custom made according to market demand, with high wear-resisting coefficient; Good damage absorption, provides comfortable sports protection on the ground.



PRODUCT NAME
产品名称

锁扣地垫
Buckled Rubber Tile

STYLE
款式

平底 | 凹槽
Flat | Fluted

SPECIFICATIONS
规格

500x500mm/1000x1000mm

THICKNESS
厚度

15/20/25/30/35/40/45/50mm




EDGE STRIP/ CORNER PAD

收边条/收边角

专为区域性的运动/健身地面研发；
防止踢脚更安全，让区域区隔更美观；
完美解决场地收边问题；

Developed specifically for locality
sports/fitness ground.
It's safer to prevent kicking, and makes
the zone more beautiful.
A perfect solution to the field edge
problem.



PRODUCT NAME
产品名称


收边条/收边角
Edge Strip / Corner Pad

SPECIFICATIONS
规格

收边条：500mmX150mm
收边角：150mmX150mm

THICKNESS
厚度

15/20/25/30/35/40/45/50mm





INTERLOCKING RUBBER MAT

橡胶拼接地垫

由高密度耐磨面层与弹性隔音底层复合而成，卡扣拼装设计，随用随拼；耐磨防滑，更柔软，隔声效果达国家建筑隔声改善的一级标准；广泛用于对隔音减震要求较高的各类场所。

It is composed of high density wear-resisting surface layer and elastic sound insulation bottom, interlocking tooth design, can be arbitrarily assembled; Wear-resistant, anti-skid, softer, the sound insulation effect reached the national sound insulation improvement primary standard; Widely used in various areas with high requirements for sound insulation and shock absorption.



PRODUCT NAME
产品名称

橡胶拼接地垫
Inter Locking Rubber Mat

SPECIFICATIONS
规格

500x500mm
1000x1000mm

EPDM CONTENT
EPDM含量

15% / 50% / 70%

THICKNESS
厚度

8/10/12/15/20mm




INTERLOCKING MAT PRO

拼装地垫Pro

轻盈柔软，给予更好的触感与保护；色彩绚丽，更符合审美；无味环保，更亲肤；高强度耐磨层，比传统产品更耐用。

Light and soft, giving better touch feel and protection;
Colorful, more in line with the aesthetic;
Odorless and environmental protection, more skin friendly. With a high strength wear resistant surface layer, more durable than traditional products.



产品规格 定制
Product Specification Customization



RUBBER ROLL

橡胶卷材



韧性极好，耐磨性佳，使用寿命长；色彩丰富，铺装整体效果好，是当前运动及生活防护场地地面材料的优先选择。

Excellent toughness, good wear resistance, long service life; Rich colors, good overall effect; A priority selection in the current sports and life protection ground materials.



PRODUCT NAME
产品名称

橡胶卷材
Rubber Roll

WIDTH
宽度


1/1.25m


EPDM CONTENT
EPDM含量

15% / 50% / 70% / 100%

THICKNESS
厚度


3-12mm





CUSTOMIZED PRINTING

定制图案






OUTDOOR RUBBER TILE

室外地垫

强韧的弹性层和缓冲层，表面耐冲击、不易受损，可吸收强劲冲击；良好的排水性、防滑性和耐磨性，表面平整，行走舒适。

Strong elastic layer and buffer layer, impact resistant, not easy to damage, can absorb strong shock. Good drainage, skid resistant and wear resistant, smooth surface, comfortable for walking.



环保



防霉防潮



耐老化



防火阻燃

PRODUCT NAME
产品名称

室外地垫
Outdoor Rubber Tile

SPECIFICATIONS
规格

500x500mm

THICKNESS
厚度


20/25/30/35/40/45/50mm

COLOR CARD DISPLAY


产品色卡展示

多色可选 随心搭配 更加出色
Multi-color optional, match as you wish, more excellent


室内地垫
Indoor Rubber Tile
常规颜色15%花点
Normal color black + 15% flecks



室内地垫
Indoor Rubber Tile
定制颜色70%花点
Custom color black + 70% flecks




室内地垫
Indoor Rubber Tile
定制颜色100%花点
Custom color black + 100% flecks



室外地垫
Outdoor Rubber Tile
常规颜色
Normal colors



室外地垫
Outdoor Rubber Tile
定制颜色
Custom color



色卡
体育健身



锁扣设计

Buckled design

易于拆装铺设；随用随拼；
边缘密合不易平移，整体性更好；

Easy to install and disassemble; can be arbitrarily assembled;
the edge is tightly sealed and not easy to move, with better integrity effect.



CIVILIZATION MAT

文明垫

由隔声卷材作底层，复合仿木纹PVC面层制成，弹性良好、柔韧舒适，隔声减噪，铺设方便，施工快捷，仿木纹理的视觉效果，彰显“文明”生活，易打理，是理想的家居/商用地面选择；

Sound insulation rubber mat as the bottom, and composites the imitation wood grain PVC mat as the surface layer. Good elasticity, flexibility and comfort, sound insulation and noise reduction, convenient and fast for installation. Wood texture visual effect, highlight the "civilized life". Easy to maintain, it is an ideal home or commercial ground choice;



PRODUCT NAME
产品名称

文明垫
Civilization mat

SPECIFICATIONS
规格

914.4x152.4mm

THICKNESS
厚度

(3+3) mm
(5+2) mm(锁扣型)

隔声





BASKETBALL COURT SHOCK PAD

球场减震垫


一种对木地板篮球场起到很好减震和减噪作用的解决方案，耐冲击、弹性佳，有效减震，伤害吸收性能良好，防护木地板，减少运动伤害，同时有效减噪、减少噪音污染；防霉防潮，铺设简便，备受当前木地板篮球场建设者的青睐。

A ground solution that plays a good role in shock damping and noise reduction on the wooden floor basketball court. Good impact resistance, good elasticity, effective shock absorption, good damage absorption performance, protect wooden flooring, reduce sports injuries, and effectively reduce noise. Resistant to mildew and moisture, easy to install, favored by the wooden floor basketball court builders.



产品规格
Product Specification

定制
Customization





SHOCK ABSORPTION BRICK

减震砖

一种具有减震效果的橡胶减震砖，替代常规水泥砖块，用于运动感强烈的地面底层（歌舞厅、迪吧、溜冰场、酒吧、KTV等），减少地面震动和噪声污染。

A shock-absorbing rubber brick with shock damping effect, which replaces conventional cement brick and is used for the ground floor with strong sense of movement (song and dance hall, disco bar, ice rink, bar, KTV, etc.) to reduce ground vibration and noise pollution.

应用场所 Application Place



PRODUCT NAME
产品名称

减震砖
Shock Absorption Brick

SPECIFICATIONS
规格

150x150mm

THICKNESS
厚度

50mm

REDUCE HARM AND MAKE RELAX 减少伤害 轻松畅快

球场建设方案满足FIFA场地的各项标准
Construction Scheme meet FIFA standards:

- ◆冲击吸收
Shock absorption
- ◆球反弹
Bounce of ball
- ◆渗水率
Water penetration
- ◆含胶量50% (超60%的伤害吸收)
Polymer content:50%(above 60% of injury/damage absorption)
- ◆5000小时抗老化
Anti-aging 5000 hours
- ◆垂直变形
Vertical deformation
- ◆扭转力矩
Torsion



FIFA®

川宇FIFA草坪垫
Chuanyu FIFA Turf Mat

川宇FIFA填充颗粒
Chuanyu FIFA filling rubber granule





ARTIFICIAL GRASS CUSHION 草坪缓冲垫

一种逼近真草、能起到更好防护的球场解决方案：“草坪垫+人造草”类似真草触感，抗压性好、有效回弹、耐冲击、韧性强，有效防护户外运动与生活；可取代基层。

A kind of courts solution of close to the real grass feeling and can play a better protection role: "rubber cushion + artificial grass" is similar to the touch feel of real grass, with good pressure resistance, effective rebound, impact resistance, strong toughness, effective protection of outdoor sports and life; can replace the base. ts and life; Simple construction, short construction period, can replace the base.

产品规格
Product Specification

定制
Customization

运动场地



BLACK SBR&EPDM GRANULE

橡胶颗粒

黑色颗粒高聚合物含量超40%，满足labosport/FIFA抗老化标准，触感更柔软更细腻，不易产生摩擦伤害，吸收伤害更多；比重轻，同等铺设条件省料10%以上，耐候性好。广泛应用于足球场建设，可定制新国标及各地方标准；

The black rubber granules are with over 40% high gel content, meeting to the anti-aging standards of Labosport/FIFA. The touch feeling is softer and more comfortable, not easy to cause friction damage. Absorb harm effectively; with light proportion, save material by more than 10% under the same paving conditions. Good weather resistance, widely used in football fields construction. New national and local standards can be customized.



COLORIZED EPDM GRANULE

彩色颗粒

三元乙丙橡胶原料制成，环保、耐候性好、防紫外线防腐防霉，性能稳定，可定制含胶量。

Made of EPDM rubber raw materials, with environmental protection and good weather resistance, anti-UV, anti-corrosion and mildew, has stable performance, the polymer content can be customized.





RUNWAY 跑道

透气型、混合型、全塑型及预制型跑道，提供单组份环保胶水和耐候性环保橡胶颗粒（EPDM颗粒），其产品安全、环保、无毒，弹性佳、冲击吸收性能好，减少运动伤害；质量稳定。

Breathable, mixed, all-plastic and prefabricated runway, providing single-component environmental protection glue and weatherproof environmental protection rubber granules (EPDM granules), the products are safe, environmental protection, non-toxic, good elasticity, good impact absorption performance, reduce sports injuries; The quality is stable.



Black 黑色



Rust Red 铁红色



Green 绿色



Yellow 黄色



Blue 蓝色



White 白色




SPORTS FIELD 运动场地

单组份环保胶水和耐候性EPDM现浇运动场地，透气、透水，弹性好，耐磨性强，冲击吸收性能高，坚固耐用；

硅pu球场、丙烯酸球场，抗紫外线、耐候性强，耐老化耐磨性能佳，使用寿命长，弹性佳、减震性强，有效减少运动损伤。

single component environmental protection glue and weatherproof EPDM cast-in-place sports field, breathable, water permeable, good elasticity, strong wear resistance, high impact absorption performance, strong and durable; Silicone pu court, acrylic court, UV resistance, weather resistance, aging resistance and wear resistance, long service life, good elasticity, strong shock absorption, effectively reduce sports injuries.




Black 黑色




Rust Red 铁红色



Green 绿色



Yellow 黄色



Blue 蓝色



White 白色



TREE ENCLOSURE MAT

树围垫

有效减轻水土流失，保护树木根部、促进生长；透性好，便于浇灌；
颜色醒目，避免路人行走碰撞；
色彩丰富，可定制图案，宣传城市或乡村文化

Effectively reduce soil erosion, protect tree roots, promote growth;
Good water permeability, easy to irrigate;
Eye-catching colors, avoid passers-by walking collision;



产品规格
Product Specification

定制
Customization





BLIND TRACK MAT

盲道垫

灵敏的触觉感，耐腐蚀、耐损耗，超强防滑，绿色环保；区别于传统水泥盲道砖，优质橡胶原料，让其弹性良好、柔韧舒适，伤害吸收性能更佳，让盲道行人更安全。

Has sensitive sense of touch, corrosion resistant, loss resistant, super anti-slip, green environmental protection; Different from the traditional cement blind brick, high-quality rubber raw material, makes it with good elasticity, flexibility and comfort, better damage absorption performance, so that the blind pedestrians are safer.



产品规格
Product Specification

定制
Customization

企业文化 Corporate Culture

以人为本，真诚待人，自律自强；
绿色环保，持续发展，防护护航；
坚守初心，持续创新，客户至上；

People-oriented, sincere, self-discipline and self-improvement;
Green and environmental protection, sustainable development,
protection escort;
Adhere to the original intention, continuous innovation,
customer first;



合作交流

Communication and Cooperation

持续与多家高校及科研机构展开技术研讨与产品开发，积极参加国内及海外各大洲展览会/博览会；合作伙伴遍布全球100多个国家和地区（含数十家国际500强企业），响应行业标准制订，始终走在行业的前沿。

Continue to carry out technical research and product development with a number of universities and research institutions. Actively participate in domestic and overseas continental exhibitions / expos. Partners in more than 100 countries and regions around the world (including dozens of top 500 international enterprises). Responding to industry standards, always walking in the forefront of the industry.







研发、生产和技术

Research and Development, Technology

设置高标准、高规格实验室，配备高专精科研人才队伍，应用AI计算大数据，沿用国内外前沿技术，定制专属尖端仪器与设备，旨在引领行业技术，夯实行业基础，推动行业发展。


Set up high standard, high specification laboratories, equipped with a team of highly specialized scientific research talents, Applying AI calculating big data, using domestic and foreign cutting-edge technologies, customizing exclusive cutting-edge instruments and equipments. It aims to lead the industry technologies, consolidate the industry foundation and promote the development of the industry.





SOL GROUP COMPANY LIMITED
SOL Rubber Industrial Co., Ltd
Qingdao SOL Industrial and Trade Co., Ltd
Tel:+86-532-88865499 Fax:+86-532-87910991
Mail:sales@solrubber.com/ catherine@solrubber.com
Web: www.solrubber.com

Commercial grade Gym rubber floor specification





SOL GROUP COMPANY LIMITED

SOL Rubber Industrial Co., Ltd

Qingdao SOL Industrial and Trade Co., Ltd


Tel:+86-532-88865499 Fax:+86-532-87910991

Mail:sales@solrubber.com/ catherine@solrubber.com

Web: www.solrubber.com

1) SLCGT Commercial grade Gym rubber floor mat compound quality

Surface and bottom	Mat surface Commercial Roll flooring Mat bottom black SBR rubber
Color	Black with different colorful EPDM flecks (grey , blue, yellow, red, green, cork, beige, white, and customized color are welcome.)
Material	Recycled SBR rubber, EPDM flecks, and Environmental polyurethane
Size	1m x 1m 500mmx500mm
Thickness	15mm-110mm
EPDM	From 10% to 100%





SOL GROUP COMPANY LIMITED

SOL Rubber Industrial Co., Ltd

Qingdao SOL Industrial and Trade Co., Ltd

Tel:+86-532-88865499 Fax:+86-532-87910991

Mail:sales@solrubber.com/ catherine@solrubber.com

Web: www.solrubber.com

2) SLCGTI Interlock Commercial grade Gym rubber floor mat with connector(easier installation)-01

Surface and bottom	Mat surface Commercial Roll flooring Mat bottom black SBR rubber Interlock with connectors
Color	Black with different colorful EPDM flecks (grey , blue, yellow, red, green, cork, beige, white, and customized color are welcome.)
Material	Recycled SBR rubber, EPDM flecks, and Environmental polyurethane
Size	1m x 1m 500mmx500mm
Thickness	20mm-110mm
EPDM	From 10% to 100%





SOL GROUP COMPANY LIMITED

SOL Rubber Industrial Co., Ltd


Qingdao SOL Industrial and Trade Co., Ltd

Tel:+86-532-88865499 Fax:+86-532-87910991


Mail:sales@solrubber.com/ catherine@solrubber.com

Web: www.solrubber.com

3) SLCGTI Interlock Commercial grade Gym rubber floor mat with connecter-02



Tiles



Borders and Edges



SOL GROUP COMPANY LIMITED

SOL Rubber Industrial Co., Ltd

Qingdao SOL Industrial and Trade Co., Ltd


Tel:+86-532-88865499 Fax:+86-532-87910991

Mail:sales@solrubber.com/ catherine@solrubber.com

Web: www.solrubber.com

3) SLGT Commercial grade Gym rubber floor mat Solid quality

Surface and bottom	Mat surface: 10-15% EPDM Mat bottom: black SBR rubber Solid small fine SBR rubber granules
Color	Black with different colorful EPDM flecks (grey , blue, yellow, red, green, cork, beige, white, and customized color are welcome.)
Material	Recycled SBR rubber, EPDM flecks, and Environmental polyurethane
Size	1m x 1m 500mmx500mm
Thickness	15mm-110mm
EPDM	From 10% to 100%





SOL GROUP COMPANY LIMITED

SOL Rubber Industrial Co., Ltd

Qingdao SOL Industrial and Trade Co.,Ltd


Tel:+86-532-88865499 Fax:+86-532-87910991

Mail:sales@solrubber.com/ catherine@solrubber.com

Web: www.solrubber.com

4) SLGTE Gym rubber floor mat (general quality)

Surface and bottom	Mat surface: 10-15% EPDM with small fine size rubber granules Mat bottom: black SBR rubber with bigger size
Color	Black with different colorful EPDM flecks (grey , blue, yellow, red, green, cork, beige, white, and customized color are welcome.)
Material	Recycled SBR rubber, EPDM flecks, and Environmental polyurethane
Size	1m x 1m 500mmx500mm
Thickness	15mm-110mm
EPDM	From 10% to 100%





Welcome to contact us

Any questions you have , welcome you contact us, we will answer you in 12 hours.

Catherine Song
Business Development Manager
M:+86-135 8928 1549

.....
SOL Group Company Limited
SOL Rubber Industrial Co.,Ltd
Qingdao SOL Industrial and Trade CO.,Ltd

T:+86-532-88865499

F:+86-532-87910991

E: catherine@solrubber.com



sales@solrubber.com

solrubber@hotmail.com

Skype: solrubber

WhatsApp:+86-13589281549

Web: www.solrubber.com



GYM RUBBER FLOOR

1. Product Introduction

GYM rubber flooring tiles are strong, sturdy and resilient, making them perfect for nearly any application, so popular in home and commercial gyms, basements, locker rooms, doggy daycare, bathrooms and more.

It's made of EPDM and SBR rubber granules, has rich color match. Premium rubber material made its excellent flexibility, wear resistance and long use life. It is the first choice for gym and sports courts.

2. Advantage

Various styles, high cost performance, high elasticity, abrasion resistance, anti-shock, anti-slip, wear resistant, easy to install and maintain, environmental protection and no pollution.

3. Specification

Length: 500mm, 600mm, 1000mm or or Customized

Width: 500mm, 600mm, 1000mm or or Customized

Thickness: 15mm, 20mm, 25mm, 30mm, 40mm, 50mm or or Customized


Color: Red, Orange, Yellow, Green, Blue, Purple, Gray, White or or Customized



SCL-GP1
Fine SBR granules




SCL-GP4
EPDM particles mixed with fine
SBR bodies




SCL-GP12
Fine SBR granules surface,
bigger SBR granules bottom



SCL-GP32
rubber roll surface, bigger
SBR granules bottom



SCL-GP41
EPDM granules surface, bigger
SBR granules bottom



SCL-GP42
EPDM granules surface,
bigger SBR granules
bottom



GYM RUBBER ROLLS

1. Product Introduction

GYM rubber flooring rolls made of EPDM and SBR granules, which are subjected to high temperature, pressure and cutting, have rich color match. Premium rubber material made its excellent flexibility, wear resistance and long use life.

High quality rubber materials make it excellent elasticity, abrasion resistance. It's suitable for indoor use which requires elasticity, sound absorption, shock absorption, skid resistance, abrasion resistance and tensile properties.

2. Advantage

ECO-friendly & non-toxic, Recyclable, Sound and shock absorption, weather ability, Fire resistance, Flexibility and fatigue resistance, Various styles, high cost performance, high elasticity, abrasion resistance, anti-shock, anti-slip, wear resistant, easy to install and maintain, environmental protection and no pollution.



3. Specification

Length:0-30m or Customized

Width: 0-1250mm or Customized

Thickness: 2mm-12mm or Customized

Color: Red, Orange, Yellow, Green, Blue, Purple, Gray, White or Customized



SOL-GR1
Fine SBR granules




SOL-GR4
EPDM particles mixed




SOL-GR14
fine SBR granules mixed
with EPDM particles
bodies



SOL-RU1
Fine SBR granules



SOL-RU51
Fine SBR granules mixed
with Foam and sawdust
bodies



SOL-RU52
Mixed with Foam and
sawdust bodies

Interlock rubber mats



1. Product Introduction

Interlock rubber mats are cut from rubber rolls, it's made of EPDM and SBR rubber granules, have rich color match. Premium rubber material made its excellent flexibility.

Surely, you could also put it under your own treadmill or washing machine to reduce shock. It's easy to install, remove and is reusable. These interlocking rubber mats come together just like puzzle pieces, making them perfect for a first time DIY-er.

SOL RUBBER offers a broad selection of rubber gym mats for you use that help prevent injury, are resilient, and offer easy, cost-effective installation for consumers on a budget.

2. Advantage

DIY, ECO-friendly & non-toxic, Recyclable, Sound and shock absorption, weather ability, Fire resistance, Flexibility and fatigue resistance, Various styles, high cost performance, high elasticity, abrasion resistance, anti-shock, anti-slip, wear resistant, easy to install and maintain, environmental protection and no pollution.


3. Specification





Length: 500mm, 600mm, 1000mm or Customized

Width: 500mm, 600mm, 1000mm or Customized

Thickness: 3mm-12mm or Customized

Color: Red, Orange, Yellow, Green, Blue, Purple, Gray, White or Customized



	
SOL-G11 Fine SBR granules	SOL-G14 EPDM particles mixed
	
SOL-G14 fine SBR granules mixed with EPDM particles bodies	SOL-G15 Customized LOGO



Playground rubber tile



SOL-PT1
Fine SBR granules




SOL-PT12
Fine SBR granules surface, bigger SBR granules bottom




SOL-PT42
EPDM granules surface, bigger SBR granules bottom



SOL-PTH2
Fine SBR granules surface, bigger SBR granules bottom



SOL-PT42
EPDM granules surface, bigger SBR granules bottom



SOL-PTP51
Fine SBR granules



SOL-PTP52
Fine SBR granules surface, bigger SBR granules bottom



SOL-PTP53
Fine SBR granules surface, bigger SBR granules bottom

1. Product Introduction

Playground rubber tiles made of EPDM and SBR rubber granules. SOL RUBBER premium rubber material made its excellent flexibility, strong, sturdy and resilient, wear resistance and long use life.

Playground rubber tiles offers a broad selection of rubber gym mats for use that help prevent injury, are resilient. Whether you are a fan of aerobic exercise or serious weightlifting, rubber mats and flooring cushion your legs, joints, feet, and back to help you avoid injury. Rather than doing high-impact exercise on a hard concrete surface, support your body with rubber mats and flooring. Over long periods of activity, the feet, ankles, and lower back area of your body can suffer from discomfort due to the build-up of stress.

2. Advantage

Weathering resistance, Various styles, high cost performance, high elasticity, abrasion resistance, anti-shock, anti-slip, wear resistant, easy to install and maintain, environmental protection and no pollution.

3. Specification

Length: 300mm, 400mm, 406mm, 500mm, 600mm, 1000mm or Customized
 Width: 300mm, 400mm, 406mm, 500mm, 600mm, 1000mm or Customized
 Thickness: 15mm, 25mm, 30mm, 35mm, 45mm, 50mm or Customized
 Color: Red, Orange, Yellow, Green, Blue, Purple, Gray, Black or Customized



Rubber Paver

1. product Introduction

Horse rubber paver is made of EPDM or SBR rubber granules. SOL RUBBER premium rubber material made its excellent flexibility, strong, sturdy and resilient, wear resistance and long use life.

Horse rubber paver help prevent injury, because owns higher density, excellent flexibility and water permeability, is specially designed for horse stable and racecourse. Its high density guarantee none deformation under horse's treading, high water permeability allows it to absorb and exclude water quickly, good flexibility warranty horse's safety, easy to clean and maintain.

2. Advantage

Weathering resistance, high cost performance, high elasticity, abrasion resistance, anti-shock, anti-slip, wear resistant, easy to install and maintain, environmental protection and no pollution.

3. Specification

Length: 200mm, 1000mm, or Customized

Width: 160mm, 1000mm, or Customized

Thickness: 25mm, 43mm, 20mm, 30mm, or Customized

Color: Red, Yellow, Green, Blue, Purple, Gray, Black or Customized



SOL-HP1
Fine SBR granules



SOL-HP12
Fine SBR granules
surface, bigger SBR
granules bottom



SOL-HP42
EPDM granules surface,
bigger SBR granules
bottom




SOL-HF1
Fine SBR granules



SOL-HF12
Fine SBR granules
surface, bigger SBR
granules bottom



SOL-HF02
Fine SBR granules
surface, bigger SBR
granules bottom





EPDM

1. Product Introduction

EPDM granules ground color soft, porous surface, to prevent the glare of the sun's reflection, beautiful and durable, and can be used with a variety of color system design into a variety of graphics. Not because of UV, ozone and other effects of fading or powder, long-term to maintain the bright colors. It can also be used for track and field track, stadium, park path and other places.


2. Advantage

Weathering resistance, high cost performance, anti ultraviolet and ozone, high elasticity, abrasion resistance, anti-shock, anti-slip, wear resistant, environmental protection and no pollution.

3. Specification

Granules Size: 0.5-1.5mm, 1-2.5mm, 1-3mm, 2-4mm or Customized

Color: Red, Orange, Yellow, Green, Blue, Purple, Gray, Black or Customized






川宇文明垫
Civilization Mat

川宇隔声卷材
Sound Insulation Roll

胶粘面 Adhesive surface

楼板面 Floor surface



SOUND INSULATION ROLL

隔声卷材

隔声性能满足国家建筑隔音改善的相关标准，是“浮筑楼板”的重要组成，预制楼板及地板之间，使楼层隔声、绿色建筑中广泛应用，可作为隔声层直接铺于地面，减震隔声，性能稳定，不易老化及变形，适用于地热系统。

The sound insulation performance can meet the relevant standards of national building sound insulation improvement. An important part of "floating floor system". It is installed between the prefabricated flooring and the floor ground to insulate the sound, which is widely used in building real estate. Can be used as a sound insulation layer directly laid on the ground, sound insulation and shock absorption, with stable performance, not easy for aging and deformation, can be used together with the geothermal system.

PRODUCT NAME
产品名称

COLOR
颜色

WIDTH
宽度

DENSITY
密度

THICKNESS
厚度

隔音卷材
Sound Insulation Roll

花色发泡
Multi-color
黑色发泡
Black

1m

600kg/m³

3-20mm



PRODUCTS CUSTOMIZATION

产品定制

包含如下功能的产品我们都可定制
——可逆高弹性、缓冲减震、伤害吸收，耐磨防滑，吸音隔声等，或各类橡胶制品。

We can customize products with the following functions
--Reversible high elasticity, cushioning and shock absorption, damage absorption, wear-resistance and anti-slip, noise absorption and sound insulation, etc. or various rubber products.

- 减震垫
Shock Pad
- 防撞垫
Bumper Pad
- 隔声垫
Sound Insulation Mat
- 跑步机垫
The Treadmill Mat
- 楼梯垫
Stair Mat
- 杯垫
Coaster
- 洗衣机垫
Washing Machine Mat
- 运动器械垫
Sport and Fitness Equipment Mat
- 更多
More





Applications

Gymnasium, Shopping mall, supermarket, office, library, hotel, restaurant, waiting hall, museum, cinema, auditorium, hospital, subway station, etc. Fitness center, leisure center, club, golf practice court, golf club, ice arena, playfield, supermarket, office building, office, meeting room, library, museum, stadium, hospital, school, kindergarten, clubs, KTV and the fitness flooring in the house.

Applications

